



## - Summary Report -

Test Product: **Selank 10mg**

Receive Date: 03-12-26

Client: Rhema Research Labs, LLC

Batch/Lot #: 2026-2SK10

Description: 3ml clear glass vial of white lyophilized powder. (Magenta Cap / Silver Crimp)

Manufacturer: PNC

| COMPONENT     | TEST                                             | SPECIFICATION                                                                                                                                                      | RESULT                          |
|---------------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| <b>Selank</b> | <b>Qualitative ID</b><br>Lambda Max              | TS $\lambda_{\max}$ is a match compared to its characteristic reference standard.                                                                                  | <b>Matches</b><br>∴ <b>Pass</b> |
|               | <b>Percent Purity</b><br>Correlation Coefficient | NLT 98%<br>$r_{xy} = \frac{\sum_{i=1}^n (x_i - \bar{x}) \cdot (y_i - \bar{y})}{\sqrt{\sum_{i=1}^n (x_i - \bar{x})^2} \cdot \sqrt{\sum_{i=1}^n (y_i - \bar{y})^2}}$ | <b>99.8%</b><br>∴ <b>Pass</b>   |
|               | <b>Quantitative Assay</b><br>Beer-Lambert        | NLT 95% label claim (mg/vial)<br>$\% = (A_{TS}/A_{STD}) \times (C_{STD}/C_{TS}) \times 100$                                                                        | <b>10.42mg</b><br>∴ <b>Pass</b> |
|               | <b>Heavy Metals</b>                              | NMT 150ppb Combined Metals<br>(including Pb, Cd, Hg, Ni, Fe & Co)                                                                                                  | <b>&lt;10</b><br>∴ <b>Pass</b>  |
|               | <b>TAMC</b> (Total Aerobic Microbial Counts)     | NMT 100 CFU/ml*<br>incubated 48hrs @ 37°C                                                                                                                          | <b>0</b><br>∴ <b>Pass</b>       |
|               | <b>TYMC</b> (Total Yeast and Mold Counts)        | NMT 100 CFU/ml*<br>incubated 48hrs @ 30°C                                                                                                                          | <b>0</b><br>∴ <b>Pass</b>       |

Tested on a Jenway 6715 UV/Vis spectrophotometer.


\*Based on Substances For Pharmaceutical Use compendium.

### Discussion:

Sample received sealed and in good condition.



Performing Analyst Initial & Date:  16 March 2026



This data is presented in good faith and not warranted as to the accuracy of results. Use of this information "as is" shall be at the risk of the user, and independent verification is the sole responsibility of the user. Analytical Formulations Inc. disclaims any liability incurred related to the misuse of this data. This report does not grant permission to assert any nutritional claims, nor does it give license to use any existing patents or copyrights pertaining to the product samples, or any individual component of said goods. This report may not be reproduced, except in its totality, without the prior, express written consent of Analytical Formulations Inc.